Arko 120 Smartfill only

Smartfill only

Collection: Elevate



Freestanding bath – 2 sizes – Gloss or Matte with Smartfill bath filler + overflow

IMPORTANT

Please refer to the **Planning Guide for baths installed with Smartfill**, for essential information about Smartfill planning and pre-lay requirements.

Features

- Fine rim, elegant super-ellipse design, curved sides
- Seamless design
- White sanitary grade acrylic, excellent heat retention properties
- Suits 40 mm waste
- Adjustable support feet

Available in 2 sizes

- 1500 mm long
- 1700 mm long

Available in 2 finishes

- White Gloss, sanitary grade acrylic
- White Matte, sanitary grade acrylic

Installation

Refer to installation instructions.


The bath is supplied with four adjustable support feet on the base frame of the bath. Position the bath and use the adjustable feet to level the bath. Leave a 3mm void between the base of the bath and the floor. Use silicone around the base to seal the bath to the floor. Allow a 20mm gap in the silicone seal as a weephole (gap is designed to reveal any plumbing leakage).


Use acetic cured silicone sealant. Do not use epoxy type adhesives.

Order codes

See next page for order codes.


1500 MODEL





Leave a 3mm gap between base of bath and floor. Use silicone to seal base of bath to floor, leaving a 20mm weephole.

1700 MODEL



Bath rim: 35mm wide

SEIMA

kitchen + laundry + bathroom ware

seima.com.au

Please note

- All measurements are in millimetres.
- Dimensions are nominal and subject to normal manufacturing variations.
- Fixing: Use silicone sealant. Do not use epoxy type adhesives.
- Specifications may vary without notice as part of our continuous improvement practices.
- Clean with a damp cloth. Do not use abrasive cleaners, liquids or pastes.

Arko 120 – Order Codes

Order codes for Arko 120 with Smartfill bath filler + overflow system

Smartfill is a revolutionary new bath filler and overflow system by Seima.
The Smartfill system includes filler, overflow and premium Pop-out Bath Waste.

Your Smartfill bath will be supplied with the Smartfill head and connecting hoses pre-installed, ready for on-site installation.

The Smartfill bezel and bath waste are available in a range of colours.

Smartfill System

Smartfill System includes Filler, Overflow and Installation Kit:
Includes Bath, stainless steel Smartfill Bezel (filler at top, overflow at bottom), and premium Pop-out Bath Waste, and installation kit. Colour options:

- Chrome
- Brushed Nickel
- Gunmetal
- Brushed Gold
- White Gloss
- White Matte
- Black Matte



BATH WITH WHITE GLOSS FINISH

193135	Arko 120, 1500mm, White Gloss bath – Smartfill, Chrome
192540	Arko 120, 1500mm, White Gloss bath – Smartfill, Brushed Nickel
192541	Arko 120, 1500mm, White Gloss bath – Smartfill, Gunmetal
192542	Arko 120, 1500mm, White Gloss bath – Smartfill, Brushed Gold
193113	Arko 120, 1500mm, White Gloss bath – Smartfill, White Gloss
193114	Arko 120, 1500mm, White Gloss bath – Smartfill, White Matte
192543	Arko 120, 1500mm, White Gloss bath – Smartfill, Black
193137	Arko 120, 1700mm, White Gloss bath – Smartfill, Chrome
192544	Arko 120, 1700mm, White Gloss bath – Smartfill, Brushed Nickel
192545	Arko 120, 1700mm, White Gloss bath – Smartfill, Gunmetal
192546	Arko 120, 1700mm, White Gloss bath – Smartfill, Brushed Gold
193115	Arko 120, 1700mm, White Gloss bath – Smartfill, White Gloss
193116	Arko 120, 1700mm, White Gloss bath – Smartfill, White Matte
192547	Arko 120, 1700mm, White Gloss bath – Smartfill, Black

BATH WITH WHITE MATTE FINISH

193136	Arko 120, 1500mm, White Matte bath – Smartfill, Chrome
192550	Arko 120, 1500mm, White Matte bath – Smartfill, Brushed Nickel
192551	Arko 120, 1500mm, White Matte bath – Smartfill, Gunmetal
192552	Arko 120, 1500mm, White Matte bath – Smartfill, Brushed Gold
193117	Arko 120, 1500mm, White Matte bath – Smartfill, White Gloss
193118	Arko 120, 1500mm, White Matte bath – Smartfill, White Matte
192553	Arko 120, 1500mm, White Matte bath – Smartfill, Black
193138	Arko 120, 1700mm, White Matte bath – Smartfill, Chrome
192554	Arko 120, 1700mm, White Matte bath – Smartfill, Brushed Nickel
192555	Arko 120, 1700mm, White Matte bath – Smartfill, Gunmetal
192556	Arko 120, 1700mm, White Matte bath – Smartfill, Brushed Gold
193119	Arko 120, 1700mm, White Matte bath – Smartfill, White Gloss
193120	Arko 120, 1700mm, White Matte bath – Smartfill, White Matte
192557	Arko 120, 1700mm, White Matte bath – Smartfill, Black

IMPORTANT
Please refer to the **Planning Guide for baths installed with Smartfill**, for essential information about Smartfill planning and pre-lay requirements.

SEIMA
kitchen + laundry + bathroom ware

seima.com.au

Please note
- All measurements are in millimetres.
- Dimensions are nominal and subject to normal manufacturing variations.
- Fixing: Use silicone sealant. Do not use epoxy type adhesives.
- Specifications may vary without notice as part of our continuous improvement practices.
- Clean with a damp cloth. Do not use abrasive cleaners, liquids or pastes.

Planning Guide for baths to be installed with

Smartfill®

Bath filler + overflow by Seima

Important !

Must be installed by a licensed plumber in accordance with Australian Standard AS3500 and meet all requirements of local licensing authorities.

Smartfill system includes FlexiWaste overflow kit with Pop-out bath waste

Smartfill Planning + Pre-lay Guide


The plumbing set-up for Smartfill normally requires advance planning, to place the plumbing inlet and outlet in the best positions for your bath location.

The Smartfill system simply requires the plumbing to be placed under the bath within the bath footprint:


- **Water Inlet Point**
  ½" BSP nipple — to protrude a minimum of 30mm above FFL (finished floor level).

  (This water point will be controlled via a wall mixer or other tapware, to fill the bath.)
- **DWV Bath Sewer Point**
  Water outlet

The water inlet nipple and waste outlet pipe can be placed anywhere within the footprint of the bath and there must be sufficient clearance for connection pipes. The recommended distance between the Water Inlet Point and DWV Point is around 200mm but this is not essential.



Smartfill bath filler + overflow system



Smartfill has two elements of **backflow prevention** built in to the device. Smartfill passes AS2845:2:1996 for backflow prevention with included air gap and also has a dual check valve (DualCV). WM Cert 23422.

SEIMA

kitchen + laundry + bathroom ware

seima.com.au

AUSTRALIAN MADE

Designed and made in Australia by Seima. This Seima innovation is a patented, registered design.

WaterMark

WMTS 040 LN 23422
ID: 192130, 191992, 191993

Smartfill passes AS2845:2:1996 for backflow prevention with included air gap and also has a dual check valve (DualCV).